


GENERATION®



BLUE RODENTICIDE BLOCKS

ACTIVE CONSTITUENT: 0.025 g/kg DIFETHIALONE

NET
CONTENTS:

1.2 Kg

Contains 80 baits

Ready to use baits for the control of rats and mice including those resistant to other anticoagulants. For use in and around agricultural, domestic, commercial, public services and industrial buildings.

Manufactured by LIPHATECH S.A.S.
Bonnell BP 3
47480 PONT DU CASSE
FRANCE

Australian contact details:
De Sangosse Australia Pty Ltd
38 Rickety St, MASCOT, NSW, 2043
Ph. 02 9078 7859 / infoAU@desangosse.com



Contains Bitrex®, a human taste deterrent

DE SANGOSSE

200mmW x 105mmH

DIRECTIONS FOR USE

RESTRAINTS

DO NOT apply baits to crops. DO NOT place baits in the open. DO NOT use this product to control native animals. DO NOT exceed 9 m between bait stations for rats and 3 m for mice.

SITUATION	PESTS	RATE	CRITICAL COMMENTS:
In and around agricultural, commercial, domestic and industrial buildings	Rats (<i>Rattus rattus</i> , <i>Rattus norvegicus</i>)	7 to 11 blocks per bait station.	Put measured quantity of bait in suitable containers, such as bait trays, or secure bait stations in locations where non-target animals may otherwise access the baits. Protect baits from water where possible. Baiting strategy: Eliminate as far as practicable all alternative food sources. The feeding behaviour of rats and mice is slightly different. Rats feed in large quantities in few locations whereas mice are more erratic and tend to feed in different places at different times. First determine the infested areas. Where droppings are seen, inside ceiling cavities, along runs are locations more probably frequented by rodents. Bait infested area and remove as much alternative food as possible. Check bait consumption after 3 days. Replace all eaten baits. Where a high level of consumption is noticed, place more baits. Remove baits in locations where there has been no take. Inspect again 3days later and then once a week until feeding ceases. Normally treatment takes 2 to 3 weeks.
	Mice (<i>Mus musculus</i>)	1 to 4 blocks per bait station.	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS: Generation Blue Blocks contain a human taste deterrent which prevents accidental consumption by children. Try not to touch the bait as this may deter rodents from eating it. Please use gloves. Usually rodents die within 3 to 5 days after eating the bait. Blocks are intended for use within an integrated rodent management program as the initial "clean out" bait treatment for rodent infestations within structures and nearby areas (within 2m). If reinfestation should occur, you can repeat the treatment once. For further treatments, it is strongly advised to alternate with a product containing a different active constituent to avoid development of genetic resistance. Extended use should not be necessary and is not recommended because of possible resistance development and secondary poisoning of rodent predators such as owls. Implement rodent proofing measures to limit or restrict rodent access to indoor areas or other areas where infestation is identified as a problem. Manage weeds and other vegetation around buildings to minimise the number of available or potential rodent harbourages.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: DO NOT contaminate streams, river or waterways with the chemical or used containers. This product is hazardous to pigs, cats, dogs, native wildlife and poultry. Place baits in locations or bait stations which are inaccessible to other animals & birds. In locations where native mammals (e.g. possums in roof spaces) may be active, baits should be placed in secure bait stations that only allow bait to be accessed by target rodents. This product is restricted to use in and around buildings (within 2m) and within enclosed spaces (e.g. drains). Actively search for dead & moribund rodents and remove and destroy them when inspecting bait stations, and when removing untaken baits for destruction at the conclusion of baiting so that dogs, cats or non-target animals DO NOT eat poisoned rats and mice.

PRECAUTIONS: Do not allow bait to contaminate foodstuffs or food intended for human or animal consumption. Do not apply bait to crops. Should not be used in areas accessible to children.

STORAGE AND DISPOSAL: Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Break, crush or puncture empty packaging and dispose of unused baits in a local authority landfill. If no landfill is available, bury the containers or unused bait below 500mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. Do not use empty containers for any other purpose. Dispose of carcasses safely by burning or burying. Do not place dead rats or mice in refuse bins or rubbish tips. Dispose of spoiled baits by placing in plastic bags and putting in garbage. Ensure baits are removed when rodent activity has ceased.

SAFETY DIRECTIONS: Poisonous if swallowed. May irritate the eyes. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes. **Do not touch bait.** Use scoop or measure. When using the product, wear rubber gloves. If product in eyes, wash out immediately with water. If on skin and after each baiting, wash hands thoroughly with soap and water. After each day's use, wash gloves.

FIRST AID: If poisoning occurs, get to a doctor or hospital quickly. Vitamin K1 (phytomenadione) is antidotal.

Warning - Should not be used in areas accessible to children.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet which can be obtained from the distributor.

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY:

This product as supplied is of a high grade and believed to be suitable for any purpose for which it is expressly recommended and must be used in accordance with the Directions for Use given on the label. No responsibility is accepted in respect of the product save those non-excludable conditions implied by any Federal and State legislation or law of a territory.

Batch No.

DOM

LIPHATECH
— GROUPE DE SANGOSSE



APVMA Approval No. 80381/100726

Generation® Registered trademark of LIPHATECH S.A.S.
Bitrex® Registered trademark of Macfarlan Smith Limited

200mmW x 105mmH