

DIRECTIONS FOR USE:

RESTRAINTS:

DO NOT exceed 3m between baits for mice, or 9m for rats.
DO NOT place baits in open.

DO NOT use in areas exposed to rain or excessive moisture.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Apply where pests occur, eg food processing factories, stores, ships, laundries, restaurants, boilerhouses, hotels and motels.	Rats and mice.	100mL per 900mL water.	Stir well to ensure mixing. BAITING STRATEGY Eliminate as far as practicable all alternative drink sources. Place approximately 150mL of prepared bait solution in non-corrosive containers in sheltered position near rodent entry points. Inspect daily. If taken quickly, increase number of baits. Continue observation and replenishment until no more bait is taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

The use of this product for the control of protected native rodents requires permission from wildlife authorities.

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY:

This product as supplied is of a high grade and believed to be suitable for any purpose for which it is expressly recommended and must be used in accordance with the Directions for Use given on the label. No responsibility is accepted in respect of the product save those non-excludable conditions implied by any Federal and State legislation or law of a Territory.



9 300722 000052 >

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS

BROMAKIL SUPER RAT DRINK

ACTIVE CONSTITUENT: 0.5 g/L BROMADIOLONE

A liquid bait for the control of rats and mice.



5 Litres

DE SANGOSSE AUSTRALIA PTY LTD

38 Ricketty St, Mascot, NSW 2020

Ph. 02 9078 7859

DE SANGOSSE

GENERAL INSTRUCTIONS:

This product may be used in conjunction with other Bromakil baits.

PRECAUTION: DO NOT allow bait to contaminate foodstuffs or feed intended for human or animal consumption. Place baits in locations which are inaccessible to other animals and birds. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. The product is restricted to use in and around buildings (within 2 metres) or enclosed spaces. Place baits in locations inaccessible to animals other than target animals.

STORAGE AND DISPOSAL: Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Break, crush, puncture and deliver empty packaging to an approved waste management facility. If not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers and product. DO NOT use containers which have held bait for any other purpose. Dispose of carcasses safely by burning or burying in an approved landfill.

SAFETY DIRECTIONS: Very dangerous. Poisonous if absorbed by skin contact or swallowed. Will irritate eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. When preparing baits, wear PVC or rubber apron, elbow-length PVC gloves, face shield, and impervious footwear. If product on skin, immediately wash area with soap and water. After each baiting, wash thoroughly with soap and water. After use and before eating, drinking or smoking, wash gloves, face shield and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26. Vitamin K1 (PHYTOMENADIONE) is antidotal.

MSDS: Additional information is listed in the Material Safety Data Sheet.

AVPMA APPROVAL No. 47484/107572

Batch No:

DOM: