

ACTIFLOW Zn680

FERTILISER - ZINC OXIDE BASED FERTILISER

Agro nutrition

Precision
technologies

N	P	K	Mg	S	Ca
B	Cu	Fe	Mn	Mo	Zn
680					



In g/L for liquid products

Specifications

PACK SIZE
5 L

SHelf LIFE OF THE PRODUCT
18 months

FORM
Liquid (SC)

STORAGE CONDITIONS

Store away from frost and keep in original container out of direct sunlight and tightly closed.

FORMULATION

Suspension concentrate (FLOW)

APPLICATION

Foliar and soil

Agronomic interests

ROLE OF NUTRIENT(S)

Zinc :
- Growth hormone synthesis
- Enzymatic functioning
- Protein synthesis

PRODUCT SPECIFICATIONS

Actiflow Zn680 prevents and corrects deficiencies of Zinc on all crops (corn, flax, soya, fruit trees, bean, sorghum ...). by foliar application.

Actiflow Zn680 ensures higher yields of greater quality. It provides Zinc in a high concentrate liquid formula of great purity being 100% efficient.

Actiflow Zn680 is a ready for use and polyvalent liquid product.

FEATURES AND BENEFITS OF THE FORMULATION

Suspension Concentrates allow the supply of high levels of mineral elements to the plant whilst ensuring effective, progressive and sustainable assimilation.

Directions of use

CROP RECOMMENDATIONS

FOLIAR APPLICATION

> MAIZE

Rate: 1L/ha in 150 L min of water - Timing: 1 application – from 5-6 leaf stage

> FLAX

Rate: 1L/ha in 200 L min of water - Timing: 1 application - from 5-6 cm stage

> PEAS AND BEANS

Rate: 0.5 - 1L/ha in 200 L min of water - Timing: 1 application - from 5-15 cm stage

> STONE FRUITS

Rate: 0.5 L/ha in 500 L min of water - Timing: At beginning of fruit set and repeat application at 15 day intervals

> STONE FRUITS

Post harvest use 1-2 L/ha in 500 L min of water - Timing: Before leaf fall

> PIP FRUITS

Rate: 0.5 L/ha in 500 L min - Timing: 6 weeks after petal fall

> PIP FRUITS

Post harvest use 1-2 L/ha in 500 L min of water - Timing: Before leaf fall.

> KIWIFRUIT

Rate: 0.5 L/ha in 500 L min of water - Timing: 6 weeks after petal fall

> GRAPES

Rate: 1L/ha in 200 L min of water - Timing: 2 applications from visible clusters to floral buds

Instructions for use

For best results, use sufficient water to achieve an even crop coverage to the point of run-off. Avoid spraying in very strong sunlight and/or very high temperatures. If possible, apply during evening or early morning especially if daytime temperatures exceed 25°C. Refer to the Crop Recommendations table for application rates and timings for individual crops. Use outdoors only. For foliar application: very young foliage and crops under stress may be more susceptible to scorch. Lower doses should be applied in these circumstances and the application interval reduced accordingly.
> Mixing: Fill the spray tank with half the required amount of water and start agitation. Shake container well and add the required amount of our product, then add the rest of the water maintaining agitation continuously. After spraying, clean and rinse the spraying equipment thoroughly.

Precautions

COMPATIBILITY:

Always read the product labels and follow the manufacturers' instructions for all products at all times. Some settings, outside the control of the manufacturer or distributor, may have repercussions on the performance of co-applied products. Therefore, the co-application is made at the risk of the end user. When combining with other components in a tank-mix, always add this product after powder. If there is any doubt at all, consult the manufacturer or distributor concerned.

IMPORTANT : Respect the uses, doses, conditions and instructions for use mentioned on the packaging, which are determined according to the characteristics of the product and the applications for which it is recommended. On this basis, conduct the crop and treatments according to the best agricultural practices taking into account, under your responsibility, all the specific factors concerning your farm, such as soil characteristics, weather conditions, cropping methods, cultivars and their specific resistances. AGRONUTRITION guarantees the quality its products only in their initial packaging over the period indicated on the manufacturer's certificates. They guarantee their conformity to the composition indicated on the packaging and to the regulations currently in force. Precautionary measure brochures are available on request. **To request a MSDS, thank you to contact : infoau@desangosse.com**